



PATENT
Customer No. 22,852
Attorney Docket No. 07582.0005-02000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
)
Bernth Johansson et al.) Group Art Unit: 3662
)
Application No.: 10/079,807) Examiner: Unknown
)
Filed: February 22, 2002)
)
For: GROUND PENETRATING RADAR)
ARRAY AND TIMING CIRCUIT)

Commissioner for Patents
Washington, DC 20231

Attention: **BOX MISSING PARTS**

Sir:

**SUPPLEMENTAL RESPONSE TO NOTICE
TO FILE MISSING PARTS OF APPLICATION**

In response to the communication of September 26, 2002, Applicants submit a Submission of Replacement Drawings, a Petition for Extension of Time, and a copy of the Notice of Incomplete Reply.

Please associate the enclosed Submission of Replacement Drawings with the application, grant any extensions of time required to enter this response, and charge any additional required fees to our deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By: Kenneth M. Lesch
Kenneth M. Lesch
Reg. No. 44,868

Dated: October 10, 2002

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

10049907-100000



UNITED STATES
PATENT AND
TRADEMARK OFFICE



Commissioner for Patents
Washington, DC 20231
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 10/079,807 | 02/22/2002 | Bernth Johansson | 07582.0005-02 |

CONFIRMATION NO. 6039

22852

FINNEGAN, HENDERSON, FARABOW, GARRETT &
DUNNER LLP
1300 I STREET, NW
WASHINGTON, DC 20006

FORMALITIES LETTER



OC000000008860365

Date Mailed: 09/26/2002

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on 09/12/2002 to the Notice to File Missing Parts (Notice) mailed 04/12/2002 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings have a line quality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(l) and (p)(1)); See Figure(s) Fig1&2.

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE